

®

Clarke

CFP™ Floor Polishers



www.clarkeus.com

Clarke®

Quality Since 1916.

The Clarke® *CFP*™ Polisher Line – *Premium Quality Features at a Value Price!*



The Dual Speed model has a simple switch to change from 180 to 320 RPM. Also, there is an indicator light that illuminates when the carbon motor brushes need replacement.



The wide stance of the transport wheels promote maximum stability when rolling over thresholds.



A full wrap around bumper protects the floor.



Powerful motors in both 1HP and 1.5HP have dual capacitors to maximize startup and run torque.



The simple modular switch design promotes fast and easy repairs to minimize maintenance costs.



Simply by unlocking and lowering the handle, the Super Flex power cord releases easy and quick for getting the job started fast.



Short cut bristle pad driver comes standard with polisher.



Molded on rubber grips provide a soft touch

Die cast aluminum handle

Dual switch levers allow operation from either side

Safety interlock prevents accidental starts

50' Safety Yellow, Super Flex Power Cord with Hospital Grade Plug

Rugged 1.5" steel handle tube
Bright chrome plated to resist corrosion

Easy release handle clamp

Quick Release Cord Wrap

5" non marking wheels with wide stance aids stability during transport

Powerful 1 HP and 1.5 HP motors with dual capacitors

Durable die cast aluminum main frame

Rugged chrome plated steel brush housing

Full surrounding, non-marking bumper, wraps under brush shroud for maximum floor protection

2 Planet Gear Box on 1 HP
3 Planet Gear Box on 1.5 HP
All have hardened steel pinion gears



17" and 20" Models


Concrete Grinding Assembly

Complete Marble Restoration Systems

Pad Driver And Pads

Various Brushes Available For Any Application





Key Features

- Chrome plated steel brush housing, motor cover and handle tube are easy to clean and provide maximum durability and corrosion resistance
- Smooth and rugged steel planetary gear systems
- FM style handle design provides best operator control and comfort
- Multiple sizes and horsepower to fit any application requirement

SPECIFICATIONS

	CFP 170	CFP 200	CFP 1700	CFP 2000	CFP 200DS
Part Number	01280A	01360A	01320A	01400A	01430A
Brush Diameter	17" (43.2 cm)	20" (50.8 cm)	17" (43.2 cm)	20" (50.8 cm)	20" (50.8 cm)
Brush Speed	175 RPM	175 RPM	175 RPM	175 RPM	180 / 320 RPM
Voltage	120 Volts				
Horsepower	1 HP (0.75 kW)		1.5 HP (1.1 kW)		
Motor	Dual Capacitor Induction				DC Permanent Magnet
Gear Box	Dual Planetary		Triple Planetary		
Power Cable	50' (15 m) Super Flex, Safety Yellow with Hospital Grade Plug				
Frame	Die Cast Aluminum Alloy				
Brush Shroud	Chrome Plated Steel				
Wheels	5" (12.7 cm), Non-Marking				
Machine Weight	83 lbs. (37.6 kg)	87 lbs. (39.5 kg)	91 lbs. (41.3 kg)	95 lbs. (43 kg)	81 lbs. (36.7 kg)
Warranty	5 Years Parts & Labor				
Agency Listing	cETLus				

PRODUCTIVITY

- Chrome plated brush housing and handle tube resists rust - lasts longer
- Heavy duty machined steel planetary gears promote long life
- Dual capacitor, high torque motors provide maximum power and efficiency
- Die cast aluminum handle and mainframe resist abuse

EASE OF USE

- Dual switch levers allow operation with either hand
- Dihedral handle design with molded rubber grips provide best ergonomics

- Easy release handle clamp also releases power cord
- 50' super flex power cable with hospital grade plug provides durability and ease of handling

SAFETY

- All models are cETLus listed for use in USA and Canada
- Hospital grade plugs have soldered wire terminals and hardened ground plug to resist damage and keeps operator safe
- Safety interlock prevents accidental startups

ACCESSORIES

- Various brushes for all applications
- Pad drivers (short cut bristle style included with machine)
- Solution tank
- Marble polishing adapter
- Concrete grinding adapters
- Wood floor sanding hard plate
- Weight kit
- Floor pads for all applications
- Diamond discs for marble polishing

Clarke®

2100 Hwy. 265
Springdale, AR 72764
www.clarkeus.com

DISTRIBUTED BY:

Lowest Prices Available:

CleanCraft Products, Inc.
800-525-3261
www.cleancraft.com

