DMU 14 & 18Dual Motor Upright Vacuum



Clarke

DMU 14 & 18 - Everything You Need In a Vacuum. Quality, value, and reliability.

DMU 14 & 18

- Lightweight handle operation with a soft touch grip.
- Quick release cord hook that holds a full 50 feet of SIT 16 gauge power cord, with hospital grade plug.
- First in filtration, a large 6 liter paper bag and a door lock to insure the bag is installed. Next the pre-fan HEPA, filters the air to 0.3 microns after that the exhaust filter cleans the air of dust from the motor.
- Bag-full electronic sensor indicator tells the operator when to change the bag. Vacuum motor is protected by a thermal overload circuit breaker and only from Clarke – a vacuum by-pass designed to provide cool air to the vacuum motor when required.
- An electronic height sensor tells the operator when the three level brush height adjustment is set correctly. The brush motor is protected from overload by a 10 second overload and automatic reset as well as a thermal breaker.
- Vacuum canister with releasable brush base.
- Onboard tools and telescoping wand with releasable stretch hose. Tools include a crevice nozzle and upholstery brush tool. Soft touch grip are on both the operation handle and the wand handle.
- A two stage vacuum motor provides ample suction power with 75" of waterlift and 110 CFM.
- No tool easy access to belt & brush roll.
- Day Cleaning? No problem here! Quiet at just 68 dBa.
- Non marking cord and furniture guard protection keep marks off the wall and your mind!







Clarke Vac-All, circa 1920's



filtration with 0.3 micron at 99.97%




Powerful dual motor design provides superior air flow for improved performance. Very quiet operation at 68db.



On-board crevice and upholstery tools improve detail cleaning productivity. Convenient quick cord release and 50' of 16-3 power cable.

CombiVac 12



Easy operation - electronicindication of filter full, brush on, and overload conditions.

Long reach hose and on-board tools make detail cleaning a snap.



Side mount belt keeps belt out of debris path for long life. No-tool access to brush roll and belt allows quick and easy maintenance.



The CombiVac and DMU designs have been Green Label Approved by the Carpet and Rug Institute

DMU Upright Vacuum





KEY FEATURES

- High efficiency 4-stage filtration system
- Easy to use, mobile, light handle weight
- On-board tools and hose add versatility
- Two motor design delivers performance
- Chevron style brush

SPECIFICATIONS	CombiVac 12	DMU 14	DMU 18
Part Number	03102A	03088A	03090A
Voltage/Frequency	115V 50/60 Hz (230 available)	115V 50/60 Hz	115V 50/60 Hz
Air Flow Volume (CFM) at Motor	110 CFM		
Vacuum Motor	30,000 RPM, 1.5 hp		
Static Water Lift (H2O)	75" (190.5 cm)		
Brush Motor	150 watt, 0.2 hp	90 watt, 0.12 hp	
Brush Speed	5500 RPM	4850 RPM	
Brush Style	Chevron bristle style		
Brush Adjustment	Foot activated, 3 position		
Belt Position and Type	Side mounted flat belt	Side mounted cogged belt	
Filtration	Four stage, 0.3 microns @ 99.79	Four stage, HEPA filtration standard	
Filter Bag	6.3 qt. (6 L)		
Decibal Rating (dBA)	68 dBA		
Handle Weight at 31,5"	41 ounces (1.1 kg)	48 ounces (1,3 kg)	
Weight without Cord	16 lbs. (7.3 kg)	20 lbs, (9 kg)	20,5 lbs, (9,3 kg)
Cord Length	40' (12.2 m)	50* (15,2 m) hospital grade plug	
Wheel Size	3" x 1" (7.6 x 2.5 cm)		
Cleaning Width	12" (30.5 cm)	14" (35.6 cm)	18" (45,7 cm)
Dimensions (D x H)	9" x 43" (22.9 x 109.2 cm)	10.5" x 45" (26.7 x 114.3 cm)	
UL/CSA Rated	Not rated	Commercial Rated cULus	
Shipping Weight	19 lbs. (8.6 kg)	23.5 lbs, (10.7 kg)	24,5 lbs, (11,1 kg)
Warranty	1 Year Parts & Labor		

WHAT MAKES IT EASY TO USE?

- · Light handle weight
- · On-board tools
- Convenient simple to operate controls
- · "Toe touch" pile height adjustment
- Tank cover removes to expose entire bag area for easy bag and filter changes and filter cleaning

WHAT ENHANCES PRODUCTIVITY?

- · No tool access to brush, belt, and filters
- Long power cable and hose increase reach
- Top loading bag design for maximum air flow and efficient debris recovery
- Low profile easily reaches under furniture
- Large 6 liter bag provides more time between changes

WHAT ADDS TO ITS DURABILITY?

- Vacuum motor protected against thermal overload
- Vacuum will not operate with out filter bag installed - protects vacuum motor and internal components
- Indicator light alerts operator of clogs, full bag, and brush setting conditions - removes guess work/error

OPTIONS / ACCESSORIES

• H.E.P.A. filter item #53300A

Clarke®

2100 Hwy. 265 Springdale, AR 72764 www.clarkeus.com DISTRIBUTED BY: Lowest Prices Available at:

CleanCraft Products, Inc. 800-525-3261 www.cleancraft.com

